



SIXTH FLOOR, 900 HOWE STREET, BOX 250  
VANCOUVER, B.C. V6Z 2N3  
CANADA

BRITISH COLUMBIA  
UTILITIES COMMISSION

ORDER  
NUMBER G-15-94

TELEPHONE: (604) 660-4700  
BC TOLL FREE: 1-800-663-1385  
FACSIMILE: (604) 660-1102

AN ORDER IN THE MATTER OF the Utilities Commission  
Act, S.B.C. 1980, c. 60, as amended

and

An Application by  
British Columbia Hydro and Power Authority

**BEFORE:** M.K. Jaccard, Chairperson; and )  
K.L. Hall, Commissioner ) February 17, 1994

**ORDER**

**WHEREAS:**

- A. On February 10, 1994 British Columbia Hydro and Power Authority ("B.C. Hydro") applied to the Commission for approval of amendments to Rate Schedule 1755 - Private Outdoor Lighting (Closed) pursuant to Section 67(2) of the Utilities Commission Act; and
- B. The amendments to Rate Schedule 1755 allow the existing inefficient and aging Mercury Vapour ("MV") fixtures to be replaced with High-Pressure Sodium ("HPS") fixtures with approximately the same equivalent light output; and
- C. The Commission has reviewed the application and finds that approval is necessary and in the public interest; and


**NOW THEREFORE** the Commission orders as follows:

The amendments to Rate Schedule 1755 - Private Outdoor Lighting (Closed), allowing the replacement of MV with HPS fixtures, is approved effective immediately as follows:

- Nineteenth Revision of Page C-48
- Tenth Revision of Page C-49

**DATED** at the City of Vancouver, in the Province of British Columbia, this 22nd day of February, 1994.

BY ORDER

  
Dr. Mark K. Jaccard  
Chairperson