

BRITISH COLUMBIA
UTILITIES COMMISSION

ORDER

NUMBER R-77-12

TELEPHONE: (604) 660-4700 BC TOLL FREE: 1-800-663-1385 FACSIMILE: (604) 660-1102

SIXTH FLOOR, 900 HOWE STREET, BOX 250 VANCOUVER, BC V6Z 2N3 CANADA web site: http://www.bcuc.com

IN THE MATTER OF the Utilities Commission Act, R.S.B.C. 1996, Chapter 473

and

Dokie General Partnership

Confirmation of Alleged Violation of Mandatory Reliability Standards
PER-002-0 Requirement 3 – Violation ID: BCUC201100209
PER-002-0 Requirement 4 – Violation ID: BCUC201100210
PER-003-0 Requirement 1 – Violation ID: BCUC201100211

BEFORE: D.M. Morton, Commissioner December 7, 2012

ORDER

WHEREAS:

- A. Order G-123-09 approved the Compliance Monitoring Program (CMP) which provides a process for dealing with violations to Mandatory Reliability Standards (MRS) adopted by the British Columbia Utilities Commission (Commission);
- B. On October 3, 2012, the Western Electricity Coordinating Council (WECC), acting as the Commission's MRS Administrator, issued a Notice of Alleged Violation (NOAV) to Dokie General Partnership (DGP) for Violation of Reliability Standards listed above beginning on November 6, 2010. The NOAV described the nature of the violations and provided an assessment of the severity of the violations;
- C. On October 3, 2012, WECC also advised DGP of its rights under Section 4.2 of the CMP, pursuant to which DGP has thirty days (30) to respond to the NOAV. The CMP also states if DGP fails to respond within 30 days, the Commission may consider the Alleged Violations in the absence of a submission;
- D. On October 31, 2012, DGP responded to the NOAV and were in agreement with the Alleged Violations;
- E. The Commission has reviewed WECC's recommendation and considers confirmation of the violations is warranted.

NOW THEREFORE pursuant to section 125.2 of the *Utilities Commission Act* and section 4.1 of the Compliance Monitoring Program, the Commission confirms the Alleged Violations identified above. At a later date, the Commission may initiate a process leading to the determination of the severity of the violations.

DATED at the City of Vancouver, in the Province of British Columbia, this 10th day of December 2012.

BY ORDER

Original signed by:

D.M. Morton Commissioner